



BASELIER

SINCE 1951



PRICE LIST 2018

TERMS OF DELIVERY 2018

All prices are in Euro and exclusive V.A.T.

Prices are without engagement and may change without previous notice.

With this price list are all previous price lists no longer valid

The prices from accessories, as mentioned in this price list, applies only by delivery of a machine.

BASELIER reserves at all times the right for not to supply.

All deliveries are ex works from factory in STEENBERGEN.

All our quotations, all orders placed with us and all contracts concluded with us are subject to the **METAALUNIECONDITIONS**, filed with the registrar of the District Court of Rotterdam, as stipulated in the latest text lodged with the said court.

The conditions of delivery and payment will be send to you upon request.

Für all unsere Angebote, alle uns erteilten Aufträge und für alle mit uns abgeschlossenen Verträge gelten die **METAALUNIE BEDINGUNGEN**. Diese sind bei der Geschäftsstelle des Landgerichts in Rotterdam deponiert, dabei gilt der Wortlaut des letzten dort hinterlegten Textes.

Die Lieferbedingungen werden Ihnen auf Anforderung zugeschickt.

Toutes nos offres, toutes les commandes qui nous sont transmises et tous les accords passés avec nous sont régis par les **CONDITIONS DE LA METAALUNIE** déposées au greffe du Tribunal de Rotterdam et libellées dans les termes du dernier texte déposé à ce Tribunal.

Les conditions de livraison sont envoyées sur demande.

CONTENTS

2018

Terms of delivery	2
Contents	3
Front Cultivator Type FF and accessories	4-5
Cultivator-Potato-Planter Type FA-W-P and accessories	6-7-8-9
Combi Cultivator Type FKC and accessories	10-11
Ridging Cultivator Type FK driven on one side	12
Type FKBW driven on both sides without middle bearing	13
Type FKB driven on both sides with middle bearing	13
Full width Cultivator Type FKV driven on one side	14
Type FKVBW driven on both sides without middle bearing	15
Type FKVB driven on both sides with middle bearing	15
Accessories Type FKC + (FK - B - W) + (FKV - B - W) + (UKF - B - W) + (HFD - FK - V)	
- Ridging hood - High speed plates - Track wipers	16
- Front plate and inspection covers - Front plate and rear plate	17
- Automatic row sensing - GPS - Slope stabilizer - Packer roller	18
- Full width set - Full width plate - Crumbler roller	19
- PTO shaft - Frame for seeder - Marker manual and hydraulic	20
- End tow kit (length transport) - Marking signs - Wheels	21
- Gearbox - Subsoiling tines - Track eradicators	22
- Spikes for stony soil - Soil Blocker - Cage roller - Quick Hitch Cat III	23
Diabolo roller hydraulic driven for Full width Cultivator and accessories	24-25
Hook tines welded tip or hard metal plate - hook tines and tine clamps	26
Spikes welded tip or hard metal plate - spikes and spike clamps	27
Hydraulic Folding Ridging Cultivator Type HFD 4-6-8-10 FK and accessories	28-29
Hydraulic Folding Full width Cultivator Type HFD 4-6-8-10 FKV and accessories	30-31
Overtop Cultivator Type UKF - UKFBW - UKFB and accessories	32-33
Elements Cultivator Type FR and accessories	34-35
Ridge former for stone-free soil Type GKB and accessories	36
Ridge former for stony soil Type GKS and accessories	37
Haulm Topper rear mounting Type LKB standard and type LKHS High speed	38
Haulm Topper with side delivery Type LKA and accessories	39
Accessories Type LKB standard and type LKHS High speed	40-41
Hydraulic Folding Haulm Topper Type HFD6-8LKB in 2 frames and accessories	42
Hydraulic Folding Haulm Topper Type HFT6-8LKB in 3 frames and accessories	43



FULL WIDTH CULTIVATOR Standard:

- very compact front mounting on tractor - Cat II
- crumbler roller in V-form front cultivator
- PTO shaft W2500 with slip clutch, tractor side 1 3/8' - 6 splines
- welded hook tines, mounted on plates welded on rotor shaft Ø 60 cm
- inspection covers and rear plate with plastic plate inside
- 2 depth wheels 600x9-10PR with spindle adjustment type FF310-380, type FF170-200 no wheels
- full width plate with 2 side plates
- gearbox 250 HP - 1000 RPM, rotor shaft 450 RPM

Order no	Description	
FF170	FF170 FRONT CULTIVATOR working width 170 cm 56 hook tines full width plate with noses	
FF200	FF200 FRONT CULTIVATOR working width 185 cm 62 hook tines full width plate with noses	
FF310	FF310 FRONT CULTIVATOR working width 305 cm 100 hook tines full width plate with wheels	
FF330	FF330 FRONT CULTIVATOR working width 325 cm 108 hook tines full width plate with wheels	
FF350	FF350 FRONT CULTIVATOR working width 345 cm 114 hook tines full width plate with wheels	
FF380	FF380 FRONT CULTIVATOR working width 365 cm 120 hook tines full width plate with wheels	



ACCESSORIES Front Cultivator Type FF 170 - 200 - 310 - 330 - 350 - 380



Order no	Description		
FF00202	Top rotor shaft with rubber plate (without inspection covers)	More price	
FF00200	Set noses stainless steel in full width plate 3 complete and 2 half for 4 x 75 cm rows FF310		
FF121323	Set noses stainless steel in full width plate 3 complete and 2 half for 4 x 90 cm rows FF380		
FF00300	Level beam with spindle adjustment on front of crumbler roller		
FK00400	Gearbox 3 speed 1000 RPM, rotor shaft 330 - 410 - 500 RPM max. 160 HP	More price	
FF00410	Rotor shaft 330 RPM instead of standard 450 PRM	More price	
FF00501	Hook tines with hard metal plate instead of welded tip 56 pieces à € 10,-- FF170	More price	
FF00502	Hook tines with hard metal plate instead of welded tip 62 pieces à € 10,-- FF200	More price	
FF00503	Hook tines with hard metal plate instead of welded tip 100 pieces à € 10,-- FF310	More price	
FF00504	Hook tines with hard metal plate instead of welded tip 108 pieces à € 10,-- FF330	More price	
FF00505	Hook tines with hard metal plate instead of welded tip 114 pieces à € 10,-- FF350	More price	
FF00506	Hook tines with hard metal plate instead of welded tip 120 pieces à € 10,-- FF380	More price	
FF00420	Rotor shaft with 120 welded hook tines instead of 100 hook tines FF310	More price	



FF00600	3 Point connection for mounting behind the tractor with 2 arms for crumbler roller FF310 - 380		
FF00700	Markers (set) manual with ball disc and long connection FF310 - 380		
FF00701	Markers (set) hydraulic with ball disc and long connection FF310 - 380		
FF00800	3 Point connection for mounting seeder (ordered with FF00600 € 500,--)		
FF00900	Hydraulic depth adjustment of crumbler roller in V-form - 2 hydraulic hoses		
FF00901	Crumbler roller in V-form with spindle adjustment - extra V-roller behind		
FF00305	Depth wheels (set) 600x9-10PR with spindle adjustment Type FF 1 x L. + 1 x R.		



FULL WIDTH CULTIVATOR Standard:

- rear mounting, extended 3 point connection Cat III
- Sirius plant elements with insert cups 35-55 mm, ridging discs Ø 50 cm with spring pressure
- drive plant elements central with chain- and gear wheels
- PTO shaft W2500 with auto reset clutch, tractor side 1 3/8' - 6 splines
- gearbox 250 HP - 1000 RPM, rotor shaft 450 RPM
- welded hook tines, mounted on plates welded on rotor shaft Ø 60 cm
- rubber plate on top rotor shaft
- 9 retractable wheels with tractor profile and hydraulic adjustment - 2 hydraulic hoses
- ridging hood with parallelogram and hydraulic adjustment - 2 hydraulic hoses
- ridging hood with high speed plates with plastic plate inside
- planting depth adjustable in height with spindle adjustment
- LED lighting at rear for transport on public roads

Order no	Description				
FA170-W	FA170-W CULTIVATOR	ridging hood 2x75 cm	56 hook tines	1,5 ton Hopper	
FA200-W	FA200-W CULTIVATOR	ridging hood 2x90 cm	62 hook tines	1,8 ton Hopper	
FA310-W	FA310-W CULTIVATOR	ridging hood 4x75 cm	100 hook tines	2,5 ton Hopper	
FA330-W	FA330-W CULTIVATOR	ridging hood 4x80 cm	108 hook tines	2,7 ton Hopper	
FA350-W	FA350-W CULTIVATOR	ridging hood 4x85 cm	114 hook tines	2,9 ton Hopper	
FA380-W	FA380-W CULTIVATOR	ridging hood 4x90 cm	120 hook tines	3,1 ton Hopper	
FA310-P	FA310-P CULTIVATOR	work. width 305cm 4x75 cm	100 hook tines	for building-up planter	

ACCESSORIES

Cultivator-Potato-Planter Type FA-W-P



Order no	Description	
FK03605	Spring tines 5 pieces for 4 rows of the ridging hood	
FA04440	Hopper increase for 300 kg more content FA170 - 200-W	
FA04441	Hopper increase for 500 kg more content FA310 - 380-W	
FF00410	Rotor shaft 330 RPM instead of 450 RPM	



FF00420	Rotor shaft with 120 welded hook tines instead of 100 hook tines FA310-W	
FF00501	Hook tines with hard metal plate instead of welded tip 56 pieces à € 10,-- FA170-W	
FF00502	Hook tines with hard metal plate instead of welded tip 62 pieces à € 10,-- FA200-W	
FF00503	Hook tines with hard metal plate instead of welded tip 100 pieces à € 10,-- FA310-W	
FF00504	Hook tines with hard metal plate instead of welded tip 108 pieces à € 10,-- FA330-W	
FF00505	Hook tines with hard metal plate instead of welded tip 114 pieces à € 10,-- FA350-W	
FF00506	Hook tines with hard metal plate instead of welded tip 120 pieces à € 10,-- FA380-W	
FRE90084	Hook tine welded tip FR250	Spare part
FF01915	Hook tine with hard metal plate FR250HM	Spare part
FK090042	Bolt M12x1.25x35-12.9 with locknut for hook tine	Spare part

ACCESSORIES

Cultivator-Potato-Planter Type FA-W-P



Order no	Description	
629Z000	Marathon plant elements 4 pcs.(instead of Sirius plant elements)	
99.4.1680	Marathon set insert cups blue - till 35 mm - 30 pcs. per plant element	
99.4.1359	Marathon set insert cups grey - above 55 mm - 30 pcs. per plant element	
99.4.1681	Marathon set insert cups red - 35 - 55 mm - 30 pcs. per plant element	
99.4.1794	Marathon safety plug - 30 pcs. per plant element	
99.4.1959	Sirius set insert cups white - 25 - 28 mm - 32 pcs. per plant element	
99.4.1961	Sirius set insert cups black - above 55 mm - 32 pcs. per plant element	
99.4.1962	Sirius set insert cups green - long varieties - 32 pcs. per plant element	



FK02400	Track wipers set manual - plant element 1 and 4 manual switch off	
FK02401	Track wipers set hydraulic - plant element 1 and 4 manual switch off - 2 hydraulic hoses	
FA04455	Side plate extension 2 pieces – for shallow cultivating	
FA04460	Ridging hood 4x75 cm small row for seed potatoes	





Order no	Description	
FA04400	Driven with central hydro motor with command, control, monitor and Basis Control	
FA04450	Automatic depth control trough monitor in combination with Basis Control	
FA04480	Missing Control with sensors and display through Basis Control	
FA04410	Electric belt vibrations Sirius via Basic Control	
FA04420	Electric belt vibrations Sirius via separate control box	



FA04425	Plant element Sirius - row 1 and 4 electric switch off through plant belt tensioner with Basic Control	
FA04427	Plant element Marathon - row 1 and 4 electric switch off through driving shaft with Basic Control	
FA04430	Hopper bottom vibration plates mechanical 4 rows - Sirius	
FA04440	Hopper bottom vibration plates mechanical 4 rows - Marathon	






FULL WIDTH CULTIVATOR Standard:

- front and rear mounting, Combi, Cat II
- 3 point connection removable for rear mounting
- crumbler roller in V form mounted at the front of cultivator in case with pin
- welded hook tines, mounted on tine clamp on rotor shaft Ø 75 cm
- PTO shaft W2500 with slip clutch, tractor side 1 3/8' - 6 splines
- 2 depth wheels 600x9-10 PR with spindle adjustment mounted with pin
- full width plate with 2 side plates
- gearbox 250 HP - 1000 RPM, rotor shaft 360 RPM

Order no	Description		
FKC200	FKC 200 COMBI CULTIVATOR	working width 185 cm full width	80 welded hook tines
FKC310	FKC 310 COMBI CULTIVATOR	working width 305 cm full width	128 welded hook tines
FKC330	FKC 330 COMBI CULTIVATOR	working width 325 cm full width	144 welded hook tines
FKC350	FKC 350 COMBI CULTIVATOR	working width 345 cm full width	148 welded hook tines
FKC380	FKC 380 COMBI CULTIVATOR	working width 365 cm full width	160 welded hook tines





Order no	Description	
FF00200	Noses stainless steel in full width plate 3 complete and 2 half	4x75-80 cm rows
FF121323	Noses stainless steel in full width plate 3 complete and 2 half	4x85-90 cm rows
FF00300	Level beam with spindle adjustment on front of crumbler roller	
FK03001	Hook tines with hard metal plate instead of welded tip	48 pieces à € 11,-- FKC200
FK03015	Hook tines with hard metal plate instead of welded tip	128 pieces à € 11,-- FKC310
FK03017	Hook tines with hard metal plate instead of welded tip	144 pieces à € 11,-- FKC330
FK03018	Hook tines with hard metal plate instead of welded tip	148 pieces à € 11,-- FKC350
FK03019	Hook tines with hard metal plate instead of welded tip	160 pieces à € 11,-- FKC380
FK01501	Front plate and inspection covers plastic for stone-free soil	FKC310
FK02605	Front plate and inspection covers stainless steel for stony soil	FKC310
FK01700	Markers (set) manual with ball disc	4FKV310 - 380
FK01701	Markers (set) hydraulic with ball disc	4FKV310 - 380 - 2 hydraulic hoses
FKC2345	Coupling parts (set) for lower front mounting	
FK01802	Ridging hood with parallelogram 4x75 cm for Combi Cultivator	FKC 310
FK01803	Ridging hood with parallelogram 4x90 cm for Combi Cultivator	FKC 380
FK01810	Ridging hood stainless steel instead of steel	FKC310 - 380
FKL97518	High speed plates stainless steel 4x75-80 cm	4FK310 - 330
FK099025	High speed plates stainless steel 4x85-90 cm	4FK350 - 380
FK00403	Rotor shaft 430 RPM instead of standard 360 RPM	
FK00404	Rotor shaft 515 RPM instead of standard 360 RPM	
FK00405	Rotor shaft 250 RPM instead of standard 360 RPM for stony soil	



Accessories page 16 until 27

RIDGING CULTIVATOR Type FK Driven on one side



Standard:

- 2 steel wheels D500x180 with spindle adjustment
- ridging hood with parallelogram and crumbler tines
- PTO shaft W2500 with slip clutch, tractor side 1 3/8" - 6 splines 2FK 160 - 4FK 310
- PTO shaft W2500 with auto reset clutch, tractor side 1 3/8" - 6 splines 4FKE 310 - 4FK 380
- gearbox 250 HP - 1000 RPM, rotor shaft 360 RPM
- welded hook tines, mounted on tine clamp on rotor shaft Ø 75 cm
- FK rotor shaft driven on one side, exist of a fixed frame

Order no	Description	
2FK160	2FK 160 RIDGING CULTIVATOR 2 rows 75 or 80 cm 36 Hook tines Cat II	
3FK200	3FK 200 RIDGING CULTIVATOR 2 rows 85 or 90 cm 48 Hook tines Cat II	
3FK235	3FK 235 RIDGING CULTIVATOR 3 rows 75 cm 48 Hook tines Cat II	
4FK310	4FK 310 RIDGING CULTIVATOR 4 rows 75 cm 64 Hook tines Cat II	
4FKE310	4FKE310 RIDGING CULTIVATOR 4 rows 75 cm 96 Hook tines Cat II	
4FK330	4FK 330 RIDGING CULTIVATOR 4 rows 80 cm 80 Hook tines Cat III	
4FK350	4FK 350 RIDGING CULTIVATOR 4 rows 85 cm 84 Hook tines Cat III	
4FK380	4FK 380 RIDGING CULTIVATOR 4 rows 90 cm 96 Hook tines Cat III	



Accessories page 16 until 27

RIDGING CULTIVATOR

Type FKBW Driven on both sides without middle bearing

Type FKB Driven on both sides with middle bearing



Standard:

- 2 steel wheels D500x180 with spindle adjustment 4FKB-W 310 - 4FKB-W 380
- 4 steel wheels D500x180 with spindle adjustment 6FKB 460 - 8FKB 730
- PTO shaft P600 with auto reset clutch, tractor side 1 3/4' - 20 splines
- gearbox 310 HP - 1000 RPM, rotor shaft 360 RPM
- welded hook tines, mounted on tine clamp on rotor shaft Ø 75 cm
- FKBW and FKB rotor shaft driven on both sides, exist of a fixed frame, 3 point connection Cat III

Order no	Description	
4FKBW310	4FKBW 310 RIDGING CULTIVATOR 4 rows 75 cm 64 hook tines Cat III	
4FKBW330	4FKBW 330 RIDGING CULTIVATOR 4 rows 80 cm 80 hook tines Cat III	
4FKBW350	4FKBW 350 RIDGING CULTIVATOR 4 rows 85 cm 84 hook tines Cat III	
4FKBW380	4FKBW 380 RIDGING CULTIVATOR 4 rows 90 cm 96 hook tines Cat III	

4FKB380	4FKB 380 RIDGING CULTIVATOR 4 rows 90 cm 92 hook tines Cat III	
6FKB460	6FKB 460 RIDGING CULTIVATOR 6 rows 75 cm 100 hook tines Cat III	
6FKB540	6FKB 540 RIDGING CULTIVATOR 6 rows 90 cm 144 hook tines Cat III	
6FKB570	6FKB 570 RIDGING CULTIVATOR 6 rows 96 cm 144 hook tines Cat III	
8FKB600	8FKB 600 RIDGING CULTIVATOR 8 rows 75 cm 128 hook tines Cat III	
8FKB730	8FKB 730 RIDGING CULTIVATOR 8 rows 90 cm 188 hook tines Cat III	



Accessories page 16 until 27

FULL WIDTH CULTIVATOR

Type FKV Driven on one side



Standard:

- 2 steel wheels D500x180 with spindle adjustment
- full width plate with 2 side plates
- PTO shaft W2500 with slip clutch, tractor side 1 3/8" - 6 splines 2FKV 160 - 3FKV 235
- PTO shaft W2500 with auto reset clutch, tractor side 1 3/8" - 6 splines 4FKV 310 - 4FKV 380
- gearbox 250 HP - 1000 RPM, rotor shaft 360 RPM
- welded hook tines, mounted on tine clamps on rotor shaft Ø 75 cm
- FKV rotor shaft driven on one side, exist of a fixed frame

Order no	Description	
2FKV160	2FKV 160 FULL WIDTH CULTIVATOR working width 160 cm 68 hook tines Cat II	
3FKV200	3FKV 200 FULL WIDTH CULTIVATOR working width 185 cm 80 hook tines Cat II	
3FKV235	3FKV 235 FULL WIDTH CULTIVATOR working width 230 cm 96 hook tines Cat II	
4FKV310	4FKV 310 FULL WIDTH CULTIVATOR working width 305 cm 128 hook tines Cat II	
4FKVE310	4FKVE310 FULL WIDTH CULTIVATOR working width 305 cm 184 hook tines Cat II	
4FKV330	4FKV 330 FULL WIDTH CULTIVATOR working width 325 cm 144 hook tines Cat III	
4FKV350	4FKV 350 FULL WIDTH CULTIVATOR working width 345 cm 148 hook tines Cat III	
4FKV380	4FKV 380 FULL WIDTH CULTIVATOR working width 365 cm 160 hook tines Cat III	



Accessories page 16 until 27

FULL WIDTH CULTIVATOR Type FKVBW Driven on both sides without middle bearing
Type FKVB Driven on both sides with middle bearing



Standard:

- 2 steel wheels D500x180 with spindle adjustment 4FKVB-W 310 - 4FKVB-W 380
- 4 steel wheels D500x180 with spindle adjustment 6FKVB 460 - 8FKVB 730
- full width plate with 2 side plates
- PTO shaft P600 with auto reset clutch, tractor side 1 3/4' - 20 splines
- gearbox 310 HP - 1000 RPM, rotor shaft 360 RPM
- welded hook tines, mounted on tine clamps on rotor shaft Ø 75 cm
- FKVBW and FKVB rotor shaft driven on both sides, exist of a fixed frame, 3 point connection Cat III

Order no	Description	
4FKVBW310	4FKVBW 310 FULL WIDTH CULTIVATOR	working width 305 cm 128 hook tines Cat III
4FKVBW330	4FKVBW 330 FULL WIDTH CULTIVATOR	working width 325 cm 144 hook tines Cat III
4FKVBW350	4FKVBW 350 FULL WIDTH CULTIVATOR	working width 345 cm 148 hook tines Cat III
4FKVBW380	4FKVBW 380 FULL WIDTH CULTIVATOR	working width 365 cm 160 hook tines Cat III

4FKVB380	4FKVB 380 FULL WIDTH CULTIVATOR	working width 365 cm 156 hook tines Cat III
6FKVB460	6FKVB 460 FULL WIDTH CULTIVATOR	working width 455 cm 192 hook tines Cat III
6FKVB540	6FKVB 540 FULL WIDTH CULTIVATOR	working width 545 cm 236 hook tines Cat III
6FKVB570	6FKVB 570 FULL WIDTH CULTIVATOR	working width 575 cm 244 hook tines Cat III
8FKVB600	8FKVB 600 FULL WIDTH CULTIVATOR	working width 605 cm 256 hook tines Cat III
8FKVB730	8FKVB 730 FULL WIDTH CULTIVATOR	working width 725 cm 316 hook tines Cat III



Accessories page 16 until 27

Order no	Description	
FK02200	Ridging hood stainless steel instead of steel 4FK 310 - 380	
FKL97518	High speed plates stainless steel 4FK 310 4x75 cm	
FKL97519	High speed plates stainless steel 6FKB 460 6x75 cm	
FKL97520	High speed plates stainless steel 8FKB 600 8x75 cm	
FK099025	High speed plates stainless steel 4FK 380 4x90 cm	
FK099026	High speed plates stainless steel 6FKB 540 6x90 cm	
FK099027	High speed plates stainless steel 8FKB 730 8x90 cm	
FKL2308	Plastic plate for High speed 4x75 cm	
FK012308	Plastic plate for High speed 4x90 cm	



FK02500	Hydraulic adjustment ridging hood with pressure gauge and accumulator - 2 hydraulic hoses	
FK02400	Track wipers (set) manual folding	
FK02401	Track wipers (set) hydraulic folding - 2 hydraulic hoses	



FK01800	Ridging hood 2FKV 160 2x75 cm or 2x80 cm rows	
FK01801	Ridging hood 3FKV 200 2x85 cm or 2x90 cm rows	
FK01802	Ridging hood 4FKV 310 4x75 cm or 6x50 cm rows	
FK01809	Ridging hood 4FK-E 310 4x75 cm small row for seed potatoes	
FK01803	Ridging hood 4FKV 380 4x90 cm or 6x60 cm rows	
FK01804	Ridging hood 6FKVB 460 6x75 cm rows or 3x150 cm bed	
FK01805	Ridging hood 6FKVB 540 6x90 cm rows or 3x180 cm bed	
FK01807	Ridging hood 8FKVB 600 8x75 cm rows or 3x200 cm bed	
FK01808	Ridging hood 8FKVB 730 8x90 cm rows or 4x180 cm bed	
FK03600	Removable ridging point per piece for bed form	
FK03602	Ridging hood with special row distance 4FK310 - 380	
FK03603	Plate in ridging hood to level off the row 4FK310 - 380	
FK03604	Top groove in ridging hood or High Speed plates 4FK310 - 380	
FK03605	Spring tines 5 pcs. between 4 rows of the ridging hood	
FK03606	Ridging hood with spindle adjustable in width for 4 rows	
FK03608	Ridging hood in high adjustable with 2 cylinders – 2 hydraulic hoses	

FRONT PLATE AND INSPECTION COVERS - FRONT PLATE AND REAR PLATE

Order no	Description		
FK02600	Front plate and inspection covers with plastic for stone-free soil	2FK 160 - 3FK 200	
FK02601	Front plate and inspection covers with plastic for stone-free soil	4FK 310 - 380	
FK02602	Front plate and inspection covers with plastic for stone-free soil	6FKVB 460 - 540	
FK02603	Front plate and inspection covers with plastic for stone-free soil	8FKVB 600 - 730	



Voorplaat en inspectieluiken met kunststof voor steenvrije grond



FK02604	Front plate and inspection covers stainless steel for stony soil	2FK 160 - 3FK 200	
FK02605	Front plate and inspection covers stainless steel for stony soil	4FK 310 - 380	
FK02606	Front plate and inspection covers stainless steel for stony soil	6FKVB 460 - 540	
FK02607	Front plate and inspection covers stainless steel for stony soil	8FKVB 600 - 730	



Voorplaat en inspectieluiken met kunststof voor steenvrije grond



FK02630	Front plate and inspection covers flexible with springs	4FK 310 – 4FKW 310	
FK02631	Front plate and inspection covers flexible with springs	4FK 310 – 4FKW 310	
FK02632	2 pressure cylinders mounted on top with 2 hydraulic hoses		



FK02620	Front plate and rear plate with rubber without inspection covers	2FK 160 - 3FK 200	
FK02621	Front plate and rear plate with rubber without inspection covers	4FK 310 - 380	
FK02622	Front plate and rear plate with rubber without inspection covers	6FKVB 460 - 540	
FK02623	Front plate and rear plate with rubber without inspection covers	8FKVB 600 - 730	

AUTOMATIC ROW SENSING - GPS - SLOPE STABILIZER - PACKER ROLLER

2018

Order no	Description	€
FK01600	Automatic row sensing with big cylinder Cat III 4FK 310 - 380 - 2 hydraulic hoses	
FK01601	Automatic row sensing with big cylinder Cat III 6FKB 460 - 8FKB600 - 2 hydraulic hoses	
FK01602	Load-Sensing-System with L.S. pipe - 1 hydraulic hose extra	
FK01608	Side shift for GPS system Cat III 4FK 310 - 380 - 2 hydraulic hoses	



FK01603	Marker disc instead of 2 marker bars automatic row sensing	
FK01604	Rubber wheels (set) instead of marker bars automatic row sensing	
FK01605	Automatic center position when lifting up the machine by automatic row sensing	



FK01606	Marker disc runs into open gully of the potato planter 80x80	
FK01609	Marker disc runs into open gully of the potato planter 200x100	
FK03200	Slope stabilizer hydraulic with knife manual operated - 2 hydraulic hoses	More price
FK03202	Frame for mounting 2 discs behind GPS control 6-8 FKB-V	More price
FK03210	Frame with 2 discs with 1 cylinder for GPS control without hydr. 6-8 FKB-V	



FK03520	Packer roller Ø 51 cm with spindle adjustment 2FKV160	
FK03521	Packer roller Ø 51 cm with spindle adjustment 3FKV200	
FK03522	Packer roller Ø 51 cm with spindle adjustment 4FKV310	
FK02523	Packer roller Ø 51 cm with spindle adjustment 4FKV380	

FULL WIDTH SET - FULL WIDTH PLATE - CRUMBLER ROLLER

Order no	Description	
FK03300	Full width set 2 clamps 36 cm with 32 hook tines for 2FK 160 - 3FK 200	
FK03301	Full width set 4 clamps 36 cm with 64 hook tines for 4FK 310 - 380	
FK03302	Full width set 6 clamps 36 cm with 96 hook tines for 6FKB 460 - 540	
FK03303	Full width set 8 clamps 36 cm with 128 hook tines for 8FKB 600 - 730	
FK03304	Full width set 4 clamps 34 cm with 88 hook tines for 4FKE 310	
FK03305	Carrot set 4 clamps 18 cm with 16 hook tines for 4FK 310 - 380	
FK137838	Side plate extension 2 pieces - for shallow full width cultivating	
FK020983-L	Protection cover chain guard FK left FKV	
FK020983-R	Protection cover chain guard FK right FKVB-W	



FK03400	Full width plate with 2 side plates for 2FK 160		
FK03401	Full width plate with 2 side plates for 3FK 200		
FK03402	Full width plate with 2 side plates for 4FK 310		
FK03403	Full width plate with 2 side plates for 4FK 330		
FK03404	Full width plate with 2 side plates for 4FK 350		
FK03405	Full width plate with 2 side plates for 4FKB 380		
FK03406	Full width plate with 2 side plates for 6FKB 460		
FK03407	Full width plate with 2 side plates for 6FKB 540		
FK03408	Full width plate with 2 side plates for 8FKB 600		
FK03409	Full width plate with 2 side plates for 8FKB 730		

FK03500	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 2FKV 160	
FK03501	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 3FKV 200	
FK03502	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 4FKV 310	
FK03503	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 4FKV 330	
FK03504	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 4FKV 350	
FK03505	Crumbler roller Ø 48 cm with 2 pieces spindle adjustment for 4FKV-B 380	
FK03506	Crumbler roller Ø 48 cm with 3 pieces spindle adjustment for 6FKVB 460 1xL + 1xR	
FK03507	Crumbler roller Ø 48 cm with 3 pieces spindle adjustment for 6FKVB 540 1xL + 1xR	
FK03508	Crumbler roller Ø 48 cm with 3 pieces spindle adjustment for 8FKVB 600 1xL + 1xR	
FK03509	Crumbler roller Ø 48 cm with 3 pieces spindle adjustment for 8FKVB 730 1xL + 1xR	
FK03512	Hydraulic adjustment of 1 crumbler roller instead of spindle adjustment 2 hydraulic hoses More price	
FK03513	Hydraulic adjustment of 2 crumbler rollers instead of spindle adjustment 4 hydraulic hoses More price	

PTO SHAFT - FRAME FOR SEEDER - MARKERS MANUAL AND HYDRAULIC

Order no	Description		€
FK02800	PTO shaft W2500 tractor side 8 splines (Russian)	2FKV 160 - 4FKV 380	
FK02801	PTO shaft W2500 tractor side 1 3/8' and 21 splines	2FKV 160 - 4FKV 380	
FK02802	PTO shaft W2500 tractor side 1 3/4' and 20 splines	2FKV 160 - 4FKV 380	
FK02803	PTO shaft W2500 with auto reset clutch instead of slip clutch	2FK-V 160 - 4FK 310	
FK02804	PTO shaft P600 instead of W2500 with auto reset clutch	4FKV 310 - 4FK-V 380	
FK02805	PTO shaft P700 instead of P600 with auto reset clutch	4FK-VB 380 - 8FK-VB730	
FK02806	PTO shaft P600 tractor side 1 3/8' and 6 splines	8FK-VB 730	
FK02807	PTO shaft P600 tractor side 1 3/8' and 21 splines	8FK-VB 730	
FK02808	PTO shaft W2500 - P600 - P700 20 cm longer as standard	4-6-8FKB and 4-6-8FKVB	
FK02810	Wide angle PTO shaft two sided only for W2500		



FK03701	Grease system for middle bearing driven on both sides	4-6-8FKV-B	
FK03800	Hydraulic lift for mounting seeder	max. 1700 kg - 2 hydraulic hoses	
FK03820	Mechanical frame for mounting seeder	max. 1700 kg	



FK01700	Markers (set) manual with mark point 80x80	4FKV 310	
FK01703	Markers (set) manual with mark point 100x100	4FKV 380	
FK01701	Markers (set) hydraulic with 1 cylinder ball disc	4FKV 310 - 380	- 2 hydraulic hoses
FK01702	Markers (set) hydraulic with 2 cylinders ball disc	4FKB 380 - 8FKB 730	- 4 hydraulic hoses
HFD4120	Markers (set) hydraulic with 2 cylinders ball disc	6-8FKVB - 6-8HFD	- 4 hydraulic hoses
FK01705	Hydraulic parallel frame for mounting 3 ridging bodies	4FKV-B	- 2 hydraulic hoses



END TOW KIT (LENGTH TRANSPORT) - MARKER SIGNS - WHEELS

Order no	Description	
FK03900	End tow kit (length transport) (max. 40 km/h) 4FK310 - 4FK380	
FK03901	End tow kit (length transport) (max. 40 km/h) big wheels 6FKB460 - 8FKB600	
FK03902	End tow kit (length transport) (max. 40 km/h) big wheels 8FKB730	



FK03100	Marker signs for transport on public road	
FK03102	Lighting set and marker signs for transport on public road	
FK03103	Coupling K-80 on 3 point connection full width cultivator for mounting pulled Potato planter	
Cra724	Pull point behind full width cultivator for mounting pulled Potato planter	
FK03104	Coupling K-80 for Potato planter - supplied as part	



FK02900	Steel wheels D500x180 set with spindle adjustment FK-V 80x80	
FK02901	Tandem air wheels 500x8 set with spindle adjustment FK-V 80x80	
FK02902	Air wheels 6,50x10-10PR set with spindle adjustment FK-V 80x80	
FK02904	Steel wheels D500x180 set with spindle adjustment FKVB 200x100	
FK02905	Air wheels 6.50x10-10PR set with spindle adjustment FKVB 200x100	
FK02907	Air wheels tractor profile set with spindle adjustment FKVB 200x100	
FK02908	Air wheels tractor profile set with spindle adjustment with cultivator tines 60x25 FKVB 200x100	



GEARBOX - SUBSOILING TINES - TRACK ERADICATORS

Order no	Description	
FK00401	Gearbox 3 speed 1000 RPM, rotor shaft 280 - 350 - 430 RPM 4FK 310 max 160 HP	
FK00402	Gearbox with continuous shaft for seeder or hydromotor 1000 RPM	
FK00403	Rotor shaft 430 RPM instead of standard 360 RPM	
FK00404	Rotor shaft 515 RPM instead of standard 360 RPM	
FK00405	Rotor shaft 250 RPM instead of standard 360 RPM for stony soil	
FK02700	Gearbox 540 RPM 1 speed instead of 1000 RPM (not for gearbox 3 speed)	
FK00410	Gearbox 450 HP, 3 PTO shafts P700, for type FKB - FKVB - HFD - UKFB	
FK00415	Oil cooler for gearbox	
FK00416	Gearbox 550 HP with oil cooler, 3 PTO shafts P700, for type FKB - FKVB - HFD - UKFB	



SUBSOILING TINES (for Full width cultivator)

- maximal working depth 25 cm
- double frame front with 2 wheels with tractor profile instead of steel wheels
- longer PTO shaft with auto reset clutch

FK04410	Cultivator tines Lemken 4 pcs. 4FKV310 working width 3.05 m	
FK04411	Cultivator tines Lemken 4 pcs. 4FKVB380 working width 3.65 m	
FK04412	Cultivator tines Lemken 6 pcs. 4FKVB380 and extra support for 4 subsoiling tines	
FK04413	Cultivator tines Lemken 6 pcs. 6FKVB460 working width 4.55 m	
FK04414	Cultivator tines Lemken 6 pcs. 6FKVB540 working width 5.45 m	
FK04415	Cultivator tines Lemken 8 pcs. 8FKVB600 working width 6.05 m	
FK04416	Cultivator tines Lemken 8 pcs. 8FKVB730 working width 7.25 m	



FK04420	Frame with 2 air wheels behind the ridging hood	
FK04407	Cultivator tine 60x25 with mounting bracket - per piece	
FK04408	Cultivator tine 60x25 with mounting bracket and shear bolt - per piece	

SPIKES FOR STONY SOIL - SOIL BLOCKER - CAGE ROLLER - QUICK HITH CAT III

Order no	Description	
FKS4000	Spikes for stony soil	2FKS 160 - 3FKS 200
FKS4001	Spikes for stony soil	4FKS 310 - 380
FKS4002	Spikes for stony soil	6FKBS 460 - 8FKBS 730
FKS4040	Extra spikes for Ridging Cultivator	4FKSE 310
FKS4041	Extra spikes for Ridging Cultivator	4FK-BSE 380
FKS4042	Extra spikes for Full width cultivator	4FKVSE 310
FKS4043	Extra spikes for Full width cultivator	4FKV-BSE 380



SOIL BLOCKER BETWEEN THE ROWS

Soil-B4x75	Soil Blocker incl. 5 pcs. spring tines 30x30 with mounting frame for 4 rows 75 cm	4FK 310
Soil-B4x90	Soil Blocker incl. 5 pcs. spring tines 30x30 with mounting frame for 4 rows 90 cm	4FK 380
Soil-B6x75	Soil Blocker incl. 7 pcs. spring tines 30x30 with mounting frame for 6 rows 75 cm	6FK 460
Soil-B6x90	Soil Blocker incl. 7 pcs. spring tines 30x30 with mounting frame for 6 rows 90 cm	6FKB 540
Soil-B8x75	Soil Blocker incl. 9 pcs. spring tines 30x30 with mounting frame for 8 rows 75 cm	8FKB 600
Soil-B8x90	Soil Blocker incl. 9 pcs. spring tines 30x30 with mounting frame for 8 rows 90 cm	8FKB 730
Soil-B1	Soil Blocker incl. 1 pc. spring tine 30x30 for cultivator or ridge former without mounting frame - 80x80	53 kg



FK02220	Cage roller for ridging hood for light soil 2 rows	
FK02240	Cage roller for ridging hood for light soil 4 rows	
FK02260	Cage roller for ridging hood for light soil 6 rows	
FK02280	Cage roller for ridging hood for light soil 8 rows	
FK02290	Cage roller with welding parts 1 row	
FK03700	Quick Hitch Cat III instead of 3 point connection Cat II	4-8 FKV-B



Standard:

- hydraulic driven from tractor with 2 hydraulic hoses
- special for carrots and chicory
- diabolo discs D=48 cm angle of 37° at 50 and 60 cm rows
- diabolo discs D=48 cm angle of 45° at 75 and 90 cm rows and 150 - 180 cm bed
- brush stripper on top of diabolo roller 2018>

Order no	Description	
FK04300	2FKV 160 - 3FKV 200 DIABOLOROLLER 2x75 cm rows	
FK04311	2FKV 160 - 3FKV 200 DIABOLOROLLER 2x90 cm rows	
FK04301	2FKV 160 - 3FKV 200 DIABOLOROLLER 3x50 cm rows	
FK04302	4FKV 310 DIABOLOROLLER 4x75 cm rows	
FK04303	4FKV 310 DIABOLOROLLER 6x50 cm rows	
FK04304	4FKV 380 DIABOLOROLLER 4x90 cm rows	
FK04305	4FKV 380 DIABOLOROLLER 6x60 cm rows	
FK04306	6FKVB 460 DIABOLOROLLER 6x75 cm rows	stronger hydraulic motor
FK04307	6FKVB 540 DIABOLOROLLER 3x180cm beds	stronger hydraulic motor
FK04308	6FKVB 540 DIABOLOROLLER 6x90 cm beds	2 hydraulic motors
FK04309	8FKVB 600 DIABOLOROLLER 8x75 cm beds	2 hydraulic motors
FK04310	8FKVB 730 DIABOLOROLLER 8x90 cm beds	2 hydraulic motors

ACCESSORIES Diabolo roller



Order no	Description	
FK04320	Speed valve for diabolo roller	
FK02500	Hydraulic adjustment ridging hood with pressure - 2 hydraulic hoses	
FK04321	Closed hydraulic system mounted on Full width Cultivator	
FK04322	Diabolo discs D=48 cm 45° angle 2 pieces for 1 row	Spare part
FK04325	Diabolo discs D=48 cm 37° angle 2 pieces for 1 row	Spare part
FK04340	Extra big diabolo discs D=58 cm 37° angle 2 pieces for 1 row	Spare part




FK04326	Brush stripper on top of diabolo roller for 4 row	2017<
FK04324	Frame for diabolo roller 4x75 cm rear mounting Cat II	
FK04341	Track wipers (set) manual folding behind diabolo roller	
FK04342	Track wipers (set) hydraulic folding behind diabolo roller - 2 hydraulic hoses	



HOOK TINES WELDED TIP OR HARD METAL PLATE - HOOK TINES AND TINE CLAMPS

Order no	Description	
FK03000	Hook tines with hard metal plate instead of welded tip	36 pieces à € 11,- 2FK 160
FK03001	Hook tines with hard metal plate instead of welded tip	48 pieces à € 11,- 3FK 200
FK03026	Hook tines with hard metal plate instead of welded tip	48 pieces à € 11,- 3FK 235
FK03002	Hook tines with hard metal plate instead of welded tip	64 pieces à € 11,- 4FK 310
FK03003	Hook tines with hard metal plate instead of welded tip	96 pieces à € 11,- 4FKE 310
FK03004	Hook tines with hard metal plate instead of welded tip	80 pieces à € 11,- 4FK 330
FK03005	Hook tines with hard metal plate instead of welded tip	96 pieces à € 11,- 4FK 350
FK03006	Hook tines with hard metal plate instead of welded tip	96 pieces à € 11,- 4FK 380
FK03007	Hook tines with hard metal plate instead of welded tip	92 pieces à € 11,- 4FKB 380
FK03008	Hook tines with hard metal plate instead of welded tip	96 pieces à € 11,- 6FKB 460
FK03009	Hook tines with hard metal plate instead of welded tip	140 pieces à € 11,- 6FKB 540
FK03010	Hook tines with hard metal plate instead of welded tip	144 pieces à € 11,- 6FKB 570
FK03011	Hook tines with hard metal plate instead of welded tip	128 pieces à € 11,- 8FKB 600
FK03012	Hook tines with hard metal plate instead of welded tip	188 pieces à € 11,- 8FKB 730
FK03013	Hook tines with hard metal plate instead of welded tip	68 pieces à € 11,- 2FKV 160
FK03014	Hook tines with hard metal plate instead of welded tip	80 pieces à € 11,- 3FKV 200
FK03027	Hook tines with hard metal plate instead of welded tip	96 pieces à € 11,- 3FKV 235
FK03015	Hook tines with hard metal plate instead of welded tip	128 pieces à € 11,- 4FKV 310
FK03016	Hook tines with hard metal plate instead of welded tip	184 pieces à € 11,- 4FKVE 310
FK03017	Hook tines with hard metal plate instead of welded tip	144 pieces à € 11,- 4FKV 330
FK03018	Hook tines with hard metal plate instead of welded tip	148 pieces à € 11,- 4FKV 350
FK03019	Hook tines with hard metal plate instead of welded tip	160 pieces à € 11,- 4FKV 380
FK03020	Hook tines with hard metal plate instead of welded tip	156 pieces à € 11,- 4FKVB 380
FK03021	Hook tines with hard metal plate instead of welded tip	192 pieces à € 11,- 6FKVB 460
FK03022	Hook tines with hard metal plate instead of welded tip	236 pieces à € 11,- 6FKVB 540
FK03023	Hook tines with hard metal plate instead of welded tip	244 pieces à € 11,- 6FKVB 570
FK03024	Hook tines with hard metal plate instead of welded tip	256 pieces à € 11,- 8FKVB 600
FK03025	Hook tines with hard metal plate instead of welded tip	316 pieces à € 11,- 8FKVB 730

HOOK TINES AND TINE CLAMPS

FK090040	Hook tine welded tip		Spare part
FK090041	Hook tine with hard metal plate		Spare part
FK090042	Bolt M12x1.25x35-12.9 with nut for hook tine		Spare part
FK090035	Tine clamp 18 cm without 8 hook tines		Spare part
FK090036	Tine clamp 21,5 cm without 10 hook tines		Spare part
FK090037	Tine clamp 27 cm without 12 hook tines		Spare part
FK090038	Tine clamp 36 cm without 16 hook tines		Spare part
FKE03344	Tine clamp 20 cm without 12 hook tines Type FKE		Spare part
FKE03532	Tine clamp 34 cm without 22 hook tines Type FKE		Spare part
FK02472	Hook tine support welded on tine clamp - per piece		

SPIKES HARD METAL PLATE OR WELDED TIP – SPIKES AND SPIKE CLAMPS

Order no	Description		
FKS4010	Spikes with hard metal plate instead of welded tip	28 pieces à € 12,--	2FKS 160
FKS4011	Spikes with hard metal plate instead of welded tip	32 pieces à € 12,--	3FKS 200
FKS4036	Spikes with hard metal plate instead of welded tip	36 pieces à € 12,--	3FKS 235
FKS4012	Spikes with hard metal plate instead of welded tip	48 pieces à € 12,--	4FKS 310
FKS4013	Spikes with hard metal plate instead of welded tip	62 pieces à € 12,--	4FKSE 310
FKS4014	Spikes with hard metal plate instead of welded tip	58 pieces à € 12,--	4FKS 330
FKS4015	Spikes with hard metal plate instead of welded tip	64 pieces à € 12,--	4FKS 350
FKS4016	Spikes with hard metal plate instead of welded tip	64 pieces à € 12,--	4FK-BS 380
FKS4017	Spikes with hard metal plate instead of welded tip	96 pieces à € 12,--	4FK-BSE 380
FKS4018	Spikes with hard metal plate instead of welded tip	72 pieces à € 12,--	6FKBS 460
FKS4019	Spikes with hard metal plate instead of welded tip	96 pieces à € 12,--	6FKBS 540
FKS4020	Spikes with hard metal plate instead of welded tip	96 pieces à € 12,--	6FKBS 570
FKS4021	Spikes with hard metal plate instead of welded tip	96 pieces à € 12,--	8FKBS 600
FKS4022	Spikes with hard metal plate instead of welded tip	128 pieces à € 12,--	8FKBS 730
FKS4023	Spikes with hard metal plate instead of welded tip	52 pieces à € 12,--	2FKVS 160
FKS4024	Spikes with hard metal plate instead of welded tip	56 pieces à € 12,--	3FKVS 200
FKS4037	Spikes with hard metal plate instead of welded tip	72 pieces à € 12,--	3FKVS 235
FKS4025	Spikes with hard metal plate instead of welded tip	96 pieces à € 12,--	4FKVS 310
FKS4026	Spikes with hard metal plate instead of welded tip	120 pieces à € 12,--	4FKVSE 310
FKS4027	Spikes with hard metal plate instead of welded tip	106 pieces à € 12,--	4FKVS 330
FKS4028	Spikes with hard metal plate instead of welded tip	112 pieces à € 12,--	4FKVS 350
FKS4029	Spikes with hard metal plate instead of welded tip	112 pieces à € 12,--	4FKV-BS 380
FKS4030	Spikes with hard metal plate instead of welded tip	144 pieces à € 12,--	4FKV-BSE 380
FKS4031	Spikes with hard metal plate instead of welded tip	144 pieces à € 12,--	6FKVBS 460
FKS4032	Spikes with hard metal plate instead of welded tip	168 pieces à € 12,--	6FKVBS 540
FKS4033	Spikes with hard metal plate instead of welded tip	168 pieces à € 12,--	6FKVBS 570
FKS4034	Spikes with hard metal plate instead of welded tip	192 pieces à € 12,--	8FKVBS 600
FKS4035	Spikes with hard metal plate instead of welded tip	224 pieces à € 12,--	8FKVBS 730

SPIKES AND SPIKE CLAMPS



FKS90001	Spike welded tip	Spare part	
FKS90002	Bolt M14x50-12.9 with nut for spike	Spare part	
FKS90003	Spike clamp 18 cm without 6 spikes	Spare part	
FKS90004	Spike clamp 24 cm without 8 spikes	Spare part	
FKS90005	Spike clamp 36 cm without 12 spikes	Spare part	
FKS90006	Spike with hard metal plate	Spare part	
FKS90007	Spike support welded on spike clamp - per piece		
FKS90010	Spike support welded for spike clamp - supplied loose	Spare part	
FKS11211	Special spike clamp 26 cm without 10 spikes type FKSE	Spare part	
FKS11219	Special spike clamp 29 cm without 12 spikes type FKSE	Spare part	



Standard:

- 2 frames hydraulic folding in the middle with 4 cylinders, 2 hydraulic hoses
- PTO shafts P600 with auto-reset clutch, tractor side 1 3/4' - 20 splines
- gearbox 310 HP - 1000 RPM, 3 point connection Cat III
- ridging hood with parallelogram and crumbler tines
- welded hook tines, mounted on tine clamps on rotor shaft Ø 75 cm
- lighting set for transport on public road
- transport width on the road 3 metre
- 4 steel wheels D500x180 with spindle adjustment
- topside rotor shaft with rubber plate without inspection cover 2018>

Order no	Description	
HFD4FK380	HFD4FK 380 RIDGING CULTIVATOR 4 rows 90 cm 92 welded hook tines Cat III	
HFD6FK460	HFD6FK 460 RIDGING CULTIVATOR 6 rows 75 cm 100 welded hook tines Cat III	
HFD6FK550	HFD6FK 550 RIDGING CULTIVATOR 6 rows 90 cm 144 welded hook tines Cat III	
HFD8FK610	HFD8FK 610 RIDGING CULTIVATOR 8 rows 75 cm 128 welded hook tines Cat III	
HFD8FK730	HFD8FK 730 RIDGING CULTIVATOR 8 rows 90 cm 188 welded hook tines Cat III	
HFD10FK910	HFD10FK910 RIDGING CULTIVATOR 10 rows 90 cm 236 welded hook tines Cat III PTO shaft P700 – 550 HP gearbox with oil cooler	

ACCESSOIRES Type HFD 4-6-8-10 FK



Order no	Description	
HFD4140	Frame with 2 air wheels 10.0/75-15.3 set with spindle adjustment 150 - 180 or 300 cm	
HFD4144	Frame with 2 air wheels 10.0/75-15.3 set with hydraulic adjustment - 2 hydraulic hoses	
HFD4142	Air wheels 10.0/75-15.3 set with spindle adjustment 200x100 front	
FK02904	Steel wheels D500x180 set with spindle adjustment 200x100	
HFD4110	Front plate and inspection covers stainless steel HFD6FK 460 - 550	
HFD4111	Front plate and inspection covers stainless steel HFD8FK 610 - 730	
FKS4002	Spikes for stony soil instead of welded hook tines	
HFD3411	Full width plate 2 pieces 1xL+1xR Type HFD4FK 380	
HFD3412	Full width plate 2 pieces 1xL+1xR Type HFD6FK 460	
HFD3413	Full width plate 2 pieces 1xL+1xR Type HFD6FK 550	
HFD3414	Full width plate 2 pieces 1xL+1xR Type HFD8FK 610	
HFD3415	Full width plate 2 pieces 1xL+1xR Type HFD8FK 730	
HFD3416	Full width plate 2 pieces 1xL+1xR Type HFD10FK 910	
FF00205	Noses in full width plate 6 rows Type HFD6FKV 460 - 550	
FF00206	Noses in full width plate 8 rows Type HFD8FKV 610 - 730	
FF00207	Noses in full width plate 10 rows Type HFD10FKV 910	



Accessories page 16 until 27



Standard:

- 2 frame hydraulic folding in the middle with 4 cylinders, 2 hydraulic hoses
- PTO shafts P600 with auto-reset clutch, tractor side 1 3/4' - 20 splines
- gearbox 310 HP, 1000 RPM, 3 point connection Cat III
- 2 full width plates 1xL+1xR
- welded hook tines, mounted on tine clamp on rotor shaft Ø 75 cm
- lighting set for transport on public road
- transport width on the road 3 metre
- 4 steel wheels D500x180 with spindle adjustment
- topside rotor shaft with rubber plate without inspection cover 2018>

Order no	Description			
HFD4FKV380	HFD4FKV 380	working width 365 cm	156 welded hook tines	Cat III
HFD6FKV460	HFD6FKV 460	working width 455 cm	192 welded hook tines	Cat III
HFD6FKV550	HFD6FKV 550	working width 545 cm	236 welded hook tines	Cat III
HFD8FKV610	HFD8FKV 610	working width 605 cm	256 welded hook tines	Cat III
HFD8FKV730	HFD8FKV 730	working width 725 cm	316 welded hook tines	Cat III
HFD10FKV910	HFD10FKV910	working width 910 cm	396 welded hook tines	Cat III PTO shaft P700 – gearbox with oil cooler

ACCESSOIRES Type HFD 4-6-8-10 FKV



Order no	Description			
HFD4105	Ridging hood 4 rows 90 cm	1xL+1xR	HFD4FKV	380
HFD4100	Ridging hood 6 rows 75 cm	1xL+1xR	HFD6FKV	460
HFD4101	Ridging hood 6 rows 90 cm	1xL+1xR	HFD6FKV	550
HFD4102	Ridging hood 8 rows 75 cm	1xL+1xR	HFD8FKV	610
HFD4103	Ridging hood 8 rows 90 cm	1xL+1xR	HFD8FKV	730
HFD4104	Ridging hood 10 rows 90 cm	1xL+1xR	HFD10FKV910	
HFD4120	Markers hydraulic with ball disc type HF	1xL+1xR	- 4 hydraulic hoses	
HFD4130	Crumbler rollers with spindle adjustment	1xL+1xR	HFD6FKV 460 rear side	
HFD4131	Crumbler rollers with spindle adjustment	1xL+1xR	HFD6FKV 550 rear side	
HFD4132	Crumbler rollers with spindle adjustment	1xL+1xR	HFD8FKV 610 rear side	
HFD4133	Crumbler rollers with spindle adjustment	1xL+1xR	HFD8FKV 730 rear side	
FK02904	Steel wheels D500x180 (set) with spindle adjustment	200x100	Year 2015 >	
HFD4135	Crumbler rollers instead of 4 steel wheels	1xL+1xR	HFD6FKV 460 front side	
HFD4136	Crumbler rollers instead of 4 steel wheels	1xL+1xR	HFD6FKV 550 front side	
HFD4137	Crumbler rollers instead of 4 steel wheels	1xL+1xR	HFD8FKV 610 front side	
HFD4138	Crumbler rollers instead of 4 steel wheels	1xL+1xR	HFD8FKV 730 front side	
HFD4139	Crumbler rollers instead of 4 steel wheels	1xL+1xR	HFD10FKV910 front side	
HFD4150	Hydraulic parallel frame for mounting 4 ridging bodies	- 4 hydraulic hoses		



OVERTOP CULTIVATOR Type UKF - UKFBW - UKFB



Standard:

- **UKF** - drive on one side, 1 PTO shaft W2500 with auto reset clutch 1 3/8' - 6 splines, gearbox 250 HP - 1000 RPM, rotor shaft 250 RPM Ø 75 cm
- **UKFBW** - driven on both sides, **without middle bearing**, 1 PTO shaft P600 with auto reset clutch 1 3/4' - 20 splines, gearbox 280 HP - 1000 RPM, rotor shaft 250 RPM Ø 75 cm
- **UKFB** - driven on both sides, **with middle bearing**, 3 PTO shafts P600 with auto reset clutch 1 3/4' - 20 splines, gearbox 310 HP - 1000 RPM
- spikes with hard metal plate, mounted on plates welded on rotor shaft - 250 RPM Ø 75 cm
- very good crumbling of heavy soil, clods under and fine ground on top
- also for use on light stony soil
- without packer roller, crumble roller, ridging hood or wheels
- 3 point connection Cat III

Order no	Description	
UKF 180	UKF 180 OVERTOP CULTIVATOR working width 180 cm 50 spikes	
UKF 200	UKF 200 OVERTOP CULTIVATOR working width 200 cm 54 spikes	
UKF 250	UKF 250 OVERTOP CULTIVATOR working width 250 cm 68 spikes	
UKF 300	UKF 300 OVERTOP CULTIVATOR working width 300 cm 84 spikes	
UKFBW 300	UKFBW300 OVERTOP CULTIVATOR working width 300 cm 84 spikes driven on both sides	
UKFB 300	UKFB300 OVERTOP CULTIVATOR working width 300 cm 80 spikes driven on both sides	
UKFB 380	UKFB380 OVERTOP CULTIVATOR working width 365 cm 100 spikes driven on both sides	
UKFB 460	UKFB460 OVERTOP CULTIVATOR working width 450 cm 120 spikes driven on both sides	
UKFB 550	UKFB550 OVERTOP CULTIVATOR working width 540 cm 152 spikes driven on both sides	
UKFB 600	UKFB600 OVERTOP CULTIVATOR working width 600 cm 164 spikes driven on both sides	





Order no	Description	
UKF5100	Level beam front with spindle adjustment less than 18 cm deep work 200x100	
UKF5101	Ridging hood 4x75 cm with spindle adjustment UKF 300	
UKF5120	Ridging hood 4x90 cm with spindle adjustment UKFB 380	
FK00410	Gearbox 450 HP, 3 PTO shafts P700 for UKFB, stronger drive line	
FK03902-1	Length transport for UKFB 600 with extra frame at the back for depth control	
FKL97518	High speed plates stainless steel 4FK 310 4x75 cm	
FK099025	High speed plates stainless steel 4FK 380 4x90 cm	
FKL2308	Plastic plate for High speed 4x75 cm	
FK012308	Plastic plate for High speed 4x90 cm	
UKF5102	Crumbler roller Ø 50 cm with spindle adjustment UKF 200	
UKF5103	Crumbler roller Ø 50 cm with spindle adjustment UKF 250	
UKF5104	Crumbler roller Ø 50 cm with spindle adjustment UKFB 300	
UKF5105	Crumbler roller Ø 50 cm with spindle adjustment UKFB 380	
UKF5106	Packer roller Ø 51 cm with spindle adjustment UKF 200	
UKF5107	Packer roller Ø 51 cm with spindle adjustment UKF 250	
UKF5108	Packer roller Ø 51 cm with spindle adjustment UKFB 300	
UKF5109	Packer roller Ø 51 cm with spindle adjustment UKFB 380	
UKF5110	Air wheels (set) with spindle adjustment on front UKF 200x100	
UKF5121	Cleaning system on finger chassis - 2 hydraulic hoses	



UKF1700	Markers (set) manual with ball disc	
UKF1701	Markers (set) hydraulic operated with 1 cylinder ball disc - 2 hydraulic hoses	
FK02804	PTO shaft P600 instead of W2500 with auto reset clutch UKF 300	
UKF5112	Subsoiling tines 4x over the entire width front mounted UKFB 300 - 380	
UKF5113	Marker discs with spindle adjustment front side 2 pieces 200x100	
UKF3800	Hydraulic lift for mounting seeder max. 1700 kg - 2 hydraulic hoses	
UKF3800	Mechanical frame for mounting seeder max. 1700 kg	
UKF270802	Spike UKF with hard metal plate - per piece	Spare part

ELEMENTS CULTIVATOR Type FR



Standard:

- PTO shaft W2500 with slip clutch tractor side 1 3/8" - 6 splines 3FR 200 - 4FR 370
- PTO shaft P600 with auto reset clutch, tractor side 1 3/4" - 20 splines 6FR 540 - 8FR 730
- gearbox 180 HP - 1000 RPM, rotor shaft 510 RPM
- welded hook tines, mounted on tine clamps on rotor shaft Ø 50 cm
- large free space of point cultivator knife till bottom frame beam
- air wheels (2 pieces) 6.50x10-10 PR with spindle adjustment 3FR 200 - 4FR 370
- air wheels (4 pieces) 6.50x10-10 PR with spindle adjustment 6FR 540 - 8FR 730
- ridging point with parallelogram

Order no	Description					
3FR200	3FR 200 ELEMENTS CULTIVATOR	3 gullies x 75 cm	30"	36 hook tines	Cat III	
3FR230	3FR 230 ELEMENTS CULTIVATOR	3 gullies x 90 cm	36"	48 hook tines	Cat III	
4FR310	4FR 310 ELEMENST CULTIVATOR	4 rows x 75 cm	30"	56 hook tines	Cat III	
4FR370	4FR 370 ELEMENTS CULTIVATOR	4 rows x 90 cm	36"	72 hook tines	Cat III	
6FR540	6FR 540 ELEMENTS CULTIVATOR	6 rows x 90 cm	36"	104 hook tines	Cat III	
8FR730	8FR 730 ELEMENTS CULTIVATOR	8 rows x 90 cm	36"	136 hook tines	Cat III	



FKE90084	Hook tine welded tip FR250	Spare part
FF01915	Hook tine with hard metal plate FR250HM	Spare part
FK090042	Bolt M12x1.25x35-12.9 with nut for hook tine	Spare part

ACCESSOIRES

ELEMENTS CULTIVATOR

Type FR



Order no	Description	
FK02801	PTO shaft W2500 with auto reset clutch, instead of slip clutch 3FR 200 - 4 FR 370	
FR03701	3 Point connection Quick Hitch Cat III instead of Cat II	
FR04402	Cultivator tines 60x25 with shear bolt 5 pieces front 4FR 370 à € 270,--	
FR03710	Frame with 5 tines 30x30 between 4 rows 4FR 310 - 370	
FR03711	Frame with 7 tines 30x30 between 6 rows 6FR 540	



FR03100	Hook tines with hard metal plate instead of welded tip 36 pieces à € 10,-- 3FR 200	
FR03102	Hook tines with hard metal plate instead of welded tip 48 pieces à € 10,-- 3FR 230	
FR03104	Hook tines with hard metal plate instead of welded tip 56 pieces à € 10,-- 4FR 310	
FR03106	Hook tines with hard metal plate instead of welded tip 72 pieces à € 10,-- 4FR 370	
FR03108	Hook tines with hard metal plate instead of welded tip 104 pieces à € 10,-- 6FR 540	
FR03110	Hook tines with hard metal plate instead of welded tip 136 pieces à € 10,-- 8FR 730	



FR03180	Air wheels tractor profile set with spindle adjustment 200x100 6FR 540 - 8FR 730	
FR03181	Air wheels 6.50x10-10PR set with spindle adjustment 200x100	
FK03720	Slope stabilizer hydraulic with knife manual operated - 2 hydraulic hoses	
FR03730	Spring tines in ridging hood 3 pcs. 3FR 200 - 230	
FR03731	Spring tines in ridging hood 5 pcs. 4FR 310 - 370	
FR03732	Spring tines in ridging hood 7 pcs. 6FR 540	
FR03733	Spring tines in ridging hood 9 pcs. 8FR 730	

RIDGE FORMER for stone-free soil Type GKB

Standard:

- without wheels
- Vibro Flex tines and big spring tines
- ridging bodies adjustable in height
- ridging hood with removable top plates for mechanical weed control

Order no	Description	
2GKB160	2GKB 160 ridging hood 2 rows 75 cm 3 ridging bodies 3 Vibro Flex 10 spring tines Cat II	
2GKB170	2GKB 170 ridging hood 2 rows 80 cm 3 ridging bodies 3 Vibro Flex 10 spring tines Cat II	
2GKB180	2GKB 180 ridging hood 2 rows 85 cm 3 ridging bodies 3 Vibro Flex 10 spring tines Cat II	
2GKB190	2GKB 190 ridging hood 2 rows 90 cm 3 ridging bodies 3 Vibro Flex 10 spring tines Cat II	
4GKB310	4GKB 310 ridging hood 4 rows 75 cm 5 ridging bodies 5 Vibro Flex 18 spring tines Cat II	
4GKB330	4GKB 330 ridging hood 4 rows 80 cm 5 ridging bodies 5 Vibro Flex 18 spring tines Cat II	
4GKB350	4GKB 350 ridging hood 4 rows 85 cm 5 ridging bodies 5 Vibro Flex 18 spring tines Cat II	
4GKB370	4GKB 370 ridging hood 4 rows 90 cm 5 ridging bodies 5 Vibro Flex 18 spring tines Cat II	
6GKB460	6GKB 460 ridging hood 6 rows 75 cm 7 ridging bodies 7 Vibro Flex 26 spring tines Cat III	
6GKB550	6GKB 550 ridging hood 6 rows 90 cm 7 ridging bodies 7 Vibro Flex 26 spring tines Cat III	
8GKB610	8GKB 610 ridging hood 8 rows 75 cm 9 ridging bodies 9 Vibro Flex 34 spring tines Cat III	
8GKB730	8GKB 730 ridging hood 8 rows 90 cm 9 ridging bodies 9 Vibro Flex 34 spring tines Cat III	



ACCESSORIES Type GKB


GK04500	Ridging discs type D-500 GKB instead of 5 ridging bodies for 4x75 cm	
GK04501	Air wheels (set) with spindle adjustment 100x100 4GKB - 6GKB	
GK03905	End tow kit (length transport) (max. 40 km/h) 4GKB - 6GKB	
FKL97518	High speed plates stainless steel 4x75 cm	
FK099025	High speed plates stainless steel 4x90 cm	
GK04502	Slope stabilizer hydraulic with disc manual operated - 2 hydraulic hoses	

RIDGE FORMER for stony soil Type GKS

Standard:

- without wheels
- ridging bodies with shear bolt
- big spring tines
- ridging hood with removable top plates for mechanical weed control

Order no	Description	
2GKS160	2GKS 160 ridging hood 2 rows 75 cm 3 ridging bodies 10 spring tines Cat II	
2GKS170	2GKS 170 ridging hood 2 rows 80 cm 3 ridging bodies 10 spring tines Cat II	
2GKS180	2GKS 180 ridging hood 2 rows 85 cm 3 ridging bodies 10 spring tines Cat II	
2GKS190	2GKS 190 ridging hood 2 rows 90 cm 3 ridging bodies 10 spring tines Cat II	
4GKS310	4GKS 310 ridging hood 4 rows 75 cm 5 ridging bodies 18 spring tines Cat II	
4GKS330	4GKS 330 ridging hood 4 rows 80 cm 5 ridging bodies 18 spring tines Cat II	
4GKS350	4GKS 350 ridging hood 4 rows 85 cm 5 ridging bodies 18 spring tines Cat II	
4GKS370	4GKS 370 ridging hood 4 rows 90 cm 5 ridging bodies 18 spring tines Cat II	
6GKS460	6GKS 460 ridging hood 6 rows 75 cm 7 ridging bodies 26 spring tines Cat III	
6GKS550	6GKS 550 ridging hood 6 rows 90 cm 7 ridging bodies 26 spring tines Cat III	
8GKS610	8GKS 610 ridging hood 8 rows 75 cm 9 ridging bodies 34 spring tines Cat III	
8GKS730	8GKS 730 ridging hood 8 rows 90 cm 9 ridging bodies 34 spring tines Cat III	



ACCESSORIES Type GKS

GK04506	Ridging hood with width adjustment on top	
GK04501	Air wheels (set) with spindle adjustment 100x100 4GKS - 6GKS	
GK03905	End tow kit (length transport) (max. 40 km/h) 4GKS - 6GKS	
GKS4575	High speed plates stainless steel 4x75 cm 4GKS	
GKS4590	High speed plates stainless steel 4x90 cm 4GKS	
GK04502	Slope stabilizer hydraulic with disc manual operated - 2 hydraulic hoses	

HAULM TOPPER rear mounting Type LKB = standard 1150 RPM
Type LKHS = High speed 1600 RPM



Type LKB = standard

- corner flail set standard, flail difference 18,5 cm.
- 2 air wheels 6.50x10-10PR with spindle adjustment
- front plate and inspection covers in steel
- haulm deflectors rear side in Haulm Topper
- gearbox 1000 RPM, flail rotor 1150 RPM
- PTO shaft W2400 with freewheel, 1 3/8' - 6 splines
- LKB consist of a fixed frame

Order no	Description	
2LKB190	2LKB 190 HAULM TOPPER 2 rows 75 or 80 cm 30" or 32"	
2LKB190	2LKB 190 HAULM TOPPER 2 rows 85 or 90 cm 34" or 36"	
3LKB265	3LKB 265 HAULM TOPPER 3 rows 75 cm 30"	
3LKB280	3LKB 280 HAULM TOPPER 3 rows 90 cm 36"	
4LKB310	4LKB 310 HAULM TOPPER 4 rows 75 cm 30"	
4LKB320	4LKB 320 HAULM TOPPER 4 rows 75 or 80 cm 30" or 32" Driven on both sides	
4LKB370	4LKB 370 HAULM TOPPER 4 rows 85 or 90 cm 34" or 36" Driven on both sides	
6LKB460	6LKB 460 HAULM TOPPER 6 rows 75 cm 30" 4 air wheels Driven on both sides	
6LKB550	6LKB 550 HAULM TOPPER 6 rows 90 cm 36" 4 air wheels Driven on both sides	
8LKB610	8LKB 610 HAULM TOPPER 8 rows 75 cm 30" 4 air wheels Driven on both sides	



Type LKHS = High Speed

- corner flail set standard, flail difference 16 cm.
- 2 air wheels 6.50x10-10PR with spindle adjustment
- front plate and inspection covers in steel
- haulm deflectors rear side in Haulm Topper
- gearbox 1000 RPM, flail rotor 1600 RPM
- PTO shaft W2400 with freewheel 1 3/8' - 6 splines
- LKB consist of a fixed frame

2LKHS190	2LKHS 190 HAULM TOPPER 2 rows 75 or 80 cm 30" or 32"	
2LKHS190	2LKHS 190 HAULM TOPPER 2 rows 85 or 90 cm 34" or 36"	
4LKHS310	4LKHS 310 HAULM TOPPER 4 rows 75 cm 30"	
4LKHS320	4LKHS 320 HAULM TOPPER 4 rows 75 or 80 cm 30" or 32"	
4LKHS320	4LKHS 320 HAULM TOPPER 4 rows 75 or 80 cm 30" or 32" Driven on both sides	
4LKHS370	4LKHS 370 HAULM TOPPER 4 rows 85 or 90 cm 34" or 36" Driven on both sides	
6LKHS460	6LKHS 460 HAULM TOPPER 6 rows 75 cm 30" 4 air wheels Driven on both sides	
6LKHS550	6LKHS 550 HAULM TOPPER 6 rows 90 cm 36" 4 air wheels Driven on both sides	
8LKHS610	8LKHS 610 HAULM TOPPER 8 rows 75 cm 30" 4 air wheels Driven on both sides	

HAULM TOPPER with side delivery Type LKA and accessories



Standard:

- corner flail set standard, flail length 16 cm
- 2 air wheels 6.50x10-10PR with spindle adjustment
- side delivery with conveyor to the right
- Combi = front and rear mounting 2LKA 190 - 3LKA 265
- Front mounting 4LKA 310 - 4LKA 370
- gearbox 1000 RPM, flail rotor 1150 RPM
- PTO shaft W2400 with freewheel, 1 3/8' - 6 splines

Order no	Description	
2LKA190	2LKA 190 HAULM TOPPER Combi	2 rows 75 or 80 cm
2LKA190	2LKA 190 HAULM TOPPER Combi	2 rows 85 or 90 cm
3LKA265	3LKA 265 HAULM TOPPER Combi	3 rows 75 cm
3LKA280	3LKA 280 HAULM TOPPER Combi	3 rows 90 cm
4LKA310	4LKA 310 HAULM TOPPER Front mounting	4 rows 75 cm
4LKA370	4LKA 370 HAULM TOPPER Front mounting	4 rows 90 cm Driven on both sides



ACCESSORIES (and page 38 - 39) Type LKA

LKA4700	Front plate and inspection covers stainless steel 2LKA 190	
LKA4701	Front plate and inspection covers stainless steel 4LKA 310	
LKA4702	Plate for closing (haulm falls between and on the rows) 2LKA 190	
LKA4703	Castor wheels (set) on front Haulm Topper instead of standard air wheels	

ACCESSORIES

Type LKB = standard - LKHS = High Speed

Order no	Description	
LK04800	Gearbox 540 RPM instead of 1000 RPM 2 - 4 - 6LKB	
LK04801	Gearbox 750 RPM instead of 1000 RPM 2 - 4 - 6LKB	
LK04802	Haulm deflectors for seedling in stainless steel (closed sides) 4LKB 310 - 320	
LK04803	Flail set for 2 rows 75 cm 2LKB 190	Spare part
LK04804	Flail set for 2 rows 85-90 cm 2LKB 190	Spare part
LK04805	Flail set for 4 rows 75 cm 4LKB 320	Spare part
LK04806	Flail set for 4 rows 90 cm 4LKB 370	Spare part
LK04813	Flail set for 6 rows 75 cm 6LKB 460	Spare part
LK04814	Flail set for 6 rows 90 cm 6LKB 550	Spare part
LK04807	Flat field flail set for carrots 2LKB 190	Spare part
LK04808	Flat field flail set for carrots 4LKB 320	Spare part
LK04809	Flat field flail set for carrots 4LKB 370	Spare part
LK04822	Flat field flail set for carrots 6LKB 460	Spare part
LK04823	Flat field flail set for carrots 6LKB 550	Spare part



LKB4600	3 Point connection LKB front mounting, combi, gearbox with continue shaft 2 - 4LKB310	
LKB4601	Front plate and inspection covers stainless steel instead of steel 2LKB - LKHS 190	
LKB4602	Front plate and inspection covers stainless steel instead of steel 4LKB - LKHS 310 - 320	
LKB4603	Front plate and inspection covers stainless steel instead of steel 4LKB - LKHS 370	
LKB4604	Front plate and inspection covers stainless steel instead of steel 6LKB - LKHS 460	
LKB4605	Front plate and inspection covers stainless steel instead of steel 6LKB - LKHS 550	
LKB4606	Front plate and inspection covers stainless steel instead of steel 8LKB - LKHS 610	



LK04907	PTO shaft W2400 tractor side 8 splines (Russian connection)	
LK04908	PTO shaft W2400 tractor side 21 splines	
LK04903	Wide-angle PTO shaft both two-sided W2400	

ACCESSORIES

Type LKB = standard - LKHS = High Speed

2018

Order no	Description	€
FK03100	Marking signs for transport on public road	
LK04904	Lighting set and marking signs for transport on public road	
LK03906	End tow kit (length transport) for 4 - 6LKB (max 40 km/h)	
LK04905	Low press tires 4x90cm to close the rows during haulm topping to prevent green potatoes 100x100	
LK04922	Low press tires 4x75cm to close the rows during haulm topping to prevent green potatoes 100x100	
HFLP540	Hydraulic folding frame with 6 low press tires 75 or 90 cm Cat II, without depth wheels	
HFLP730	Hydraulic folding frame with 8 low press tires 75 or 90 cm Cat II, without depth wheels	



LK04900	Air wheels (set) 6.50x10-10PR with spindle adjustment 80x80	2017<
LK04915	Air wheels (set) 6.50x10-10PR with spindle adjustment 100x100	2017>
LK04906	Air wheels (set) tractor profile with spindle adjustment 100x100	
LK04901	Hydraulic depth wheels (set) 6.50x10-10PR 100x100 – 4 hydraulic hoses	
LK04930	Automatic depth control with hydraulic wheels – 2 hydraulic hoses	



LK04909	Quick Hitch Cat III instead of 3 point connection Cat II	
LK04910	Hydro 3 point connection Cat II to put Haulm Topper one row out of center - 2 hydr. hoses	
LK04911	Mechanical 3 point connection Cat II to put Haulm Topper one row out of center	
LKB4920	Bed flails for 1 bed 180 cm instead of 2 rows 90 cm/36" 2LKB190	
LKB4921	Centre plate to lead topping haulm in the wheel tracks 2LKB190	



HYDRAULIC FOLDING HAULM TOPPER

Type HFD6LKB 460 - 550

Type HFD8LKB 610

Standard:

- 2x hydraulic folding Haulm Toppers - 2 hydraulic hoses
- 2 big air wheels in the wheel tracks - 2 air wheels 6.50x10-10PR side of the Haulm Topper
- gearbox 120 HP - 1000 RPM - flail rotor 1150 RPM
- PTO shaft W2500, tractor side 1 3/8" - 6 splines
- haulm deflectors at the back of Haulm Topper
- lighting set for transport on public road
- transport width on the road 3 metre

Order no	Description				
HFD6LKB460	HFD6LKB 460	working width 460 cm	6 rows 75 cm - 36"	Cat III	
HFD6LKB550	HFD6LKB 550	working width 550 cm	6 rows 90 cm - 36"	Cat III	
HFD8LKB610	HFD8LKB 610	working width 610 cm	8 rows 75 cm	Cat III	



ACCESSORIES Type HFD6-8LKB

HFD5000	Front plate and inspection covers stainless steel HFD6LKB 550	
HFD5001	Front plate and inspection covers stainless steel HFD8LKB 610	
HFD5002	Front plate and inspection covers stainless steel HFD6LKB 460	
LKB4810	Bed flails for 3 beds 180 cm instead of 6 rows 90 cm - 36"	à € 300,--
LKB5003	Centre plates 3x to lead topping haulm in the wheel tracks	à € 300,--
LKB5010	Low press tires 6x90cm to close the rows during haulm topping to prevent green potatoes HFD6LKB	
LKB5015	Low press tires 8x75/90cm to close the rows during haulm topping to prevent green potatoes HFD-T-8 LKB	

HYDRAULIC FOLDING HAULM TOPPER with front Haulm Topper

Type HFT6LKB 550
Type HFT8LKB 610
Type HFT8LKB 730

Standard in 3 frames:

- 1 front Haulm topper Cat II PTO shaft W2400 tractor side 1 3/8" - 6 splines, 2 air wheels 6.50x10-10 PR
HFT6LKB 550 - HFT8LKB 730 haulm topper 2LKB220 - working width 2,20 m
HFT8LKB 610 haulm topper 2LKB190 - working width 1,95 m
- 2 hydraulic folding Haulm Toppers rear mounting Cat III with 2 hydraulic hoses
- 2 big air wheels in the wheel tracks - 2 air wheels 6.50x10-10 PR side of the Haulm Topper
- gearbox 120 HP - 1000 RPM - flail rotor 1150 RPM
- PTO shaft W2500 tractor side 1 3/8" - 6 splines
- haulm deflectors at the back of Haulm Topper
- lighting set for transport on public road
- transport width on the road 3 metre

Order no	Description				
HFT6LKB550	HFT6LKB 550	working width 550 cm	6 rows 90 cm - 36"	Cat III	
HFT8LKB610	HFT8LKB 610	working width 610 cm	8 rows 75 cm	Cat III	
HFT8LKB730	HFT8LKB 730	working width 730 cm	8 rows 90 cm	Cat III	



ACCESSORIES Type HFT6-8LKB

HFT5004	Front plate and inspection covers stainless steel	HFT6LKB 550	
HFT5007	Front plate and inspection covers stainless steel	HFT8LKB 610	
HFT5008	Front plate and inspection covers stainless steel	HFT8LKB 730	
LKB5003	Centre plates 3x to lead topping haulm in the wheel tracks	à € 300,--	
HFT5005	Bed flails for 3 beds 180 cm instead of 6 rows 90 cm - 36"	à € 300,--	
HFT5006	Front Haulm Topper working width 2,5 metre instead of 2,2 metre		




BASELIER

Bronkhorststraat 5
4651 SZ Steenberg
Nederland

Tel : 00 31 167 - 56 44 64
Fax : 00 31 167 - 56 49 98
Internet : www.baselier.com
E-mail : info@baselier.com